

ENVIRONMENTAL RESEARCHERS' DRIVE TOWARDS CAPACITY BUILDING

During the last Quarter of 2022/23 financial year the environmental scientists took part in the capacity building sessions of the Provincial Policy Planning and Research Forum (PPPRF) of the Office of the Premier. Seven presentations were given on the virtual Teams platform attracting on average around 27 attendees from nearly all the provincial departments. The presentations included topics on what sustainability is in terms of species and ecosystems (by Natalie Uys and Elsabè Swart), what the Critical Biodiversity Areas map is and used for (by Enrico Oosthuysen), what we expect how climate change would impact on the province and its people (by Christine Kraft), what Biodiversity Offsets are (by Elsabè Swart) and how to use the National Environmental Screening Tool to see whether planned developments might have significant environmental impacts (by Samantha de la Fontaine). The remainder of the presentations focused more on renewable energy developments in the province (by Peter Cloete & Samantha de la Fontaine) and the extent of developmental pressures being, and to be, experienced within western and eastern parts of the Northern Cape respectively (by Elsabè Swart on behalf of Louise Geldenhuys and Samantha de la Fontaine).

One internal training session was also held 28 March 2023 in Kimberley (by Samantha de la Fontaine and assisted by Natalie Uys), supporting our Environmental Management colleagues towards capacitating them in using the web-based National Environmental Screening Tool. Due to the success and requests received for further training sessions, the environmental scientists will be providing one training session per quarter also for 2023/24. So, look out for notifications and invites to these training sessions!

Images of slides presented:





PROJECTED CLIMATE CHANGE IMPACTS




Fig. 1: Annual average temperatures in the Northern Cape using a baseline period of 1961–1990 (CSIR 2019).

Fig. 2: Projected changes in annual average temperatures throughout the Northern Cape over the period 2021-2050 under the RCP 8.5 scenario (CSIR 2019).

(Obtained from NCDAERL 2021)

PROJECTED CLIMATE CHANGE IMPACTS





Fig. 7: Annual average rainfall throughout the Northern Cape using a baseline period of 1961–1990 (CSIR 2019).

Fig. 8: Projected changes in annual average rainfall throughout the Northern Cape over the period 2021-2050 under the RCP 8.5 scenario (CSIR 2019).

(Obtained from NCDAERL 2021)

6.3 REDZ, EGI Power Corridors+ RE Concentration patterns




The RE development concentrations (black dashed circles) are more likely to be associated with electricity infrastructure as appose to the REDZs.


Slide on where renewable energy developments are in comparison to where national zonation (REDZ) are.


Study area

• We focussed on two areas for spatial assessments:




Where spatial assessments were done to establish the extent of development pressures and where concerns are from an environmental and underground water perspective.






The two slides on offsets reflect how Biodiversity Offsets developed over time within an international and national context, down to Northern Cape level.



Slide on how the Critical Biodiversity Area map is / should be used.



- Processes that regulate the stability and resilience of the Earth system.
- Crossing these boundaries increases the risk of generating large-scale abrupt or irreversible environmental changes.
- 6 of 9 boundaries crossed.
- · January 2022 crossed:
 - environmental pollutants and "novel entities" including plastics.
- April 2022 crossed:
 freshwater boundary



(Stockholm Resilience Centre, 2022)

Scales of sustainability

- Species
- Landscape
- Ecosystem level

Sustainability

Spatial scales: Species Landscape Ecosystem level

Temporal scales: Species dynamics Ecosystem services Climate change resilience The above two slides are on sustainability where the first reflect on international scale where unsustainable practices are threating our future existence and the second reflect that sustainability is assessed on various scales i.t.o. time and space.